SINCE
1993

ZHEJIANG WANDEKAI COPPER INDUSTRIES CO.,LTD
Add: Longxi Industrial, District Yuhuan, Zhejiang 317609
Tel: 0086-576-8749 9999 / 8749 4128 / 8749 3666
Fax: 0086-576-8749 1665
Email: wdk@tzwdk.com Http:// www.zjwdk.com

Details please check ...

In order to meet user needs, the Company will continue to upgrade the products, this book is for reference only, Relations as a result of printing products with the color of the book there are differences in kind, whichever products. Without notice, The company reserves the right to amend the final power of interpretation. The album image and belongs to the company. Without permission, any photographing, copying, etc. be regarded as infringing copies, and will be held liable.

Wandekai

ISO 9001 ISO 14001 OHSAS 18001



LEAD FREE
CATALOG 2017

Http://www.zjwdk.com

WDK

Your reliable supplier of

Lead Free products

Professional approval

Complete approval of plumbing field ensure our products are what you need.

Garden Plant

We know the importance of green working & living envirement to our employees.



ABOUT US

The company was established in 1995, located in yuhuan of zhejiang province where has been reputed as "The Hometown of Valve in China". As a professional manufacturer who integrates the design, production and sales of plumbing systems and sanitarywares. Its activities are divided into four main products: brass valves, brass fittings, OEM parts and water-heating sanitarywares. We have obtained ISO 9001 certificate in 2000. We have obtained NSF, CSA and UPC certificate for brass PEX fittings, brass ball valves and brass 1/4 turn angle stop valve, which are designed and developed by ourselves.

The company covers 56000 square meters, with a building area of 32000 square meters. The company have two production zones. We have advanced and professional equipments on production and inspection. For the time being, we have CNC machines 140 sets, High precision axis threading machine 19 sets, which were imported from Taiwan. We have 2 professional laboratories for testing and verifying.There are more than 500 employees and mearly 100 persons are our senior management. We are always sticking to our corporation quality policy of "Working out with utmost care, No any water leakage assured", and taking up with the quality control and standard operation procedure to reslize the stable quality level.

With the advantage of our high quality products, we started exporting in 1995 to European and American Countries, now we have established good business relationship with the customers from more than 50 countries in the world, and our products have enjoyed perfect reputation in the domestic and oversea market. We insist on our corporation principle of "customer the first, and quality base" and will continue to establish sincere business cooperation with all our domestic and oversea customers.

ISO 9001 ISO 14001 OHSAS 18001

万得凯
WANDEKAI

万得凯铜业
精工细作 清水不渗

R&D

Strong R&D capability keep the enterprise in the leading place of plumbing field.

Wandekai

Training

We know the importance of regular training to the enterprise and customers.

Wandekai

Production Scale

Perfect Quality Results from Advanced Technology
We adopt the most suitable way for production



Wandekai

High–Precision Equipment

Professional for valves and fittings

With multi axes, high efficiency, cost control

Wandekai

Quality & Inspection

Professional Lab
With CNAS Approval

Making everything perfect in every link and detail of product.
An efficient R & D management process must be guided by scientific product development strategy, Wandekai Copper company always persists in the core Managing Strategy of "quality standardization", and strive to achieve international advanced level in every field , to ensure perfect quality of each product.

Wandekai

Show Room

Supply Valves Quarter Turn

Supply Valves Quarter Turn

JF-123
1/2Wx3/8C

JF-124
3/8C x 5/8C
1/2C x 5/8C
1/4C x 5/8C
3/8C x 3/8C

JF-125
3/8C x 1/2PEX
1/4C x 1/2PEX

JF-126
3/8F x 3/8C
3/8F x 1/4C
1/2F x 1/4C
1/2F x 3/8C
1/2F x 1/2C

JF-127
1/2Wx1/4C
1/2Wx3/8C

JF-128
3/8C x 5/8C
1/2C x 5/8C
1/4C x 5/8C
3/8C x 3/8C

JF-129
3/8C x 1/2PEX
1/4C x 1/2PEX

JF-131
3/8F x 3/8C
3/8F x 1/4C
1/2F x 1/4C
1/2F x 3/8C
1/2F x 1/2C

Supply Valves Quarter Turn

JF-133

1/2Fx1/2-7/16C

JF-134

1/2Fx1/2-7/16C

JF-135

5/8Cx3/8Cx1/4C
5/8Cx3/8Cx3/8C

JF-136

1/2Fx3/8Cx1/4C
1/2Fx3/8Cx3/8C

JF-137

1/2CPVC x 3/8C

JF-138

5/8Cx1/2-7/16C

JF-139

5/8Cx1/2-7/16C

JF-140

5/8Cx3/4NH

Supply Valves Quarter Turn

JF-141
1/2Fx3/4NH

JF-142
1/2Tx3/4NH

JF-143
1/2CPVC × 3/8C

JF-151
1/2PEXx1/2M

JF-152
3/8PEXx3/8PEX
1/2PEXx1/2PEX
3/4PEXx3/4PEX

JF-153
1/2PEXx1/2PEX

JF-154
1/2Wx1/2PEX

JF-155
1/2Wx1/2PEX

Supply Valves Quarter Turn

JF-156
1/2PEXx1/2M

JF-157
5/8"x3/8C

JF-158
5/8"x3/8C

JF-159
3/8PEX1960x1/2M
1/2PEX1960x1/2M

JF-160
3/8Cx3/8PEX1960
3/8Cx1/2PEX1960
1/4Cx3/8PEX1960
1/4Cx1/2PEX1960

JF-161
3/8PEX1960x1/2M
1/2PEX1960x1/2M

JF-162
3/8Cx3/8PEX1960
3/8Cx1/2PEX1960
1/4Cx3/8PEX1960
1/4Cx1/2PEX1960

JF-163
3/8PEX1960x3/8PEX1960
1/2PEX1960x1/2PEX1960

JF-164
3/8PEX1960x3/8PEX1960
1/2PEX1960x1/2PEX1960

Wandekai

Supply Valves Multi Turn

Supply Valves Quarter Turn

JF–121

1/2Fx3/8OD Flare
1/2Fx1/2OD Flare

JF–122

5/8Cx3/8Cx3/8C
5/8Cx3/8Cx1/4C

JF–01

3/8F × 3/8C
1/2F × 3/8C

JF–02

3/8F × 3/8C
1/2F × 3/8C
1/2F × 1/4C
1/2F × 1/2C

Supply Valves Multi Turn

JF–111

3/8F × 3/8C
1/2F × 1/2C
1/2F × 3/8C

JF–03

5/8 × 3/8

JF–40

1/2Wx3/8C

JF–41

1/2Wx3/8C
1/2Wx1/4C

JF–112

5/8C × 3/8C
5/8C × 1/2C

JF–04

5/8C × 1/2C
5/8C × 3/8C
5/8C × 1/4C

JF–115

1/2F × 3/8C × 3/8C
1/2F × 3/8C × 1/4C

JF–117

5/8C × 1/2–7/16C

Supply Valves Multi Turn

JF–120

1/2PEX × 3/8C

JF–116

5/8C × 3/8C × 3/8C
5/8C × 3/8C × 1/4C
5/8C × 1/2C × 3/8C

JF–118

1/2F × 1/2–7/16C

JF–119

1/2PEX × 3/8C

JF–114

1/2CPVCx3/8C

JF–42

1/2CPVCx3/8C

JF–113

1/2Tx3/4NH

Supply Valves Multi Turn

JF–115B

1/2F × 3/8C × 3/8C
1/2F × 3/8C × 1/4C

JF–04B

5/8C × 1/2C
5/8C × 3/8C
5/8C × 1/4C

JF–83B

1/2Wx3/8Cx3/8C

JF–41B

1/2Wx3/8C
1/2Wx1/4C

JF–82B

5/8Cx3/8Cx3/8C

JF–122B

5/8Cx3/8Cx3/8C
5/8Cx3/8Cx1/4C

Size Range: 1/2" – 2"
Pressure Rating: 250 PSI CWP
Body Design Pressure: 600 PSI CWP
Maximum Operating Temperature: 250°F

Lead-Free Press Ball Valves

QF–69

1/2"~2"
Two O–ring Structure

QF–89

1/2"~2"
One O–ring Structure

QF–90

2 1/2" – 4"

Brass Ball Valves

QF-47

1/4"~4"

QF-47T

1/2"、3/4"、1"

QF-43

1/4"~4"

QF-43T

1/2"、3/4"、1"

Brass Ball Valves

QF-66
1/2"~2"

QF-56
3/8"~1"

QF-61
3/8"~1"

QF-67
1/2"、3/4"

QF-68
3/8"~1"

QF-62
3/8"~1"

QF-62T
3/8"~1"

QF-63
3/8"~1"

Brass Ball Valves

QF-64

3/8"~1"

QF-81

1/2PEX1807 x 1/2W
3/4PEX1807 x 3/4W
1PEX1807 x 1W

QF-82

1/2PEX1960 x 1/2W
3/4PEX1960 x 3/4W
1PEX1960 x 1W

QF-83

1/2PEX1960 x 1/2F
3/4PEX1960 x 3/4F
1PEX1960 x 1F

QF-84

1/2PEX1960 x 1/2M
3/4PEX1960 x 3/4M
1PEX1960 x 1M

QF-85

1/2PEX1960 x 1/2PEX1960
3/4PEX1960 x 3/4PEX1960
1PEX1960 x 1PEX1960

QF-74A

1/2F x（12"-21")
3/4F x（12"-21")

QF-74B

1/2F x（12"-21")
3/4F x（12"-21")

Brass Ball Valves

QF-13B

1/2Fx3/8"
1/2Fx1/2"

QF-14

3/8"、1/2"
5/8"、3/4"

QF-15

3/8"F、1/2"F
3/4"F、1"F

QF-13

1/2Fx3/8"
1/2Fx1/2"
1/2Fx15/16"
3/4Fx5/8"
3/4Fx15/16"

QF-05T

1/8"、1/4"
3/8"、1/2"

QF-06T

1/8"、1/4"
3/8"、1/2"

QF-06

1/8"、1/4"
3/8"、1/2"

QF-05

1/8"、1/4"
3/8"、1/2"

QF-65

3/8"~2"

SZ-15

1/2"、3/4"

SZ-16

1/2"、3/4"

Brass Needle Valves

ZHF-01

1/4C、3/8C

ZHF-02

1/4Cx1/8M
3/8Cx1/8M
3/8Cx1/4M

ZHF-03

1/4Cx1/8M
3/8Cx1/8M

ZHF-04

1/4C、3/8C

ZHF-05

1/4C3/8C

ZHF-06

1/4Cx1/8M
3/8Cx1/8M

ZHF-07

1/4Cx1/8M
5/16Cx1/8M

ZHF-08

1/4F、3/8F

Wandekai *Float Valves*

ZY-27

1/2"、3/4"、1"

ZY-28

1"、1-1/4"
1-1/2"、2"、3"

ZY-29

3/8"、1/2"、3/4"

ZY-30

1/4"、3/8"

Wandekai Boiler Valves

Boiler Valves

JF-18

1/2"、3/4"

JF-19

1/2"、3/4"

JF-20

1/2"、3/4"

JF-21

1/2"、3/4"

JF-22

1/2"、3/4"

JF-23

1/2"、3/4"

JF-24

1/2"、3/4"

JF-25

1/2"、3/4"

JF-26

1/2"、3/4"

JF-29

1/2"、3/4"

JF-30

1/2"、3/4"

Wandekai

PEX Insert Fittings - F1807 Standard

PEX Insert Fittings-F1807 Standard

GJ–219

3/8PEX × 1/2M、1/2PEX × 1/2M
1/2PEX × 3/4M、5/8PEX × 1/2M
5/8PEX × 3/4M、3/4PEX × 1/2M
3/4PEX × 3/4M、3/4PEX × 1M
1PEX × 3/4M、1PEX × 1M
1 1/4PEX × 1 1/4M
1 1/4PEX × 1M
1 1/2PEX × 1 1/2M
2PEX × 2M

GJ–220

3/8PEX × 1/2F、1/2PEX × 1/2F
1/2PEX × 3/4F、3/4PEX × 1/2F
3/4PEX × 3/4F、3/4PEX × 1F
1PEX × 1F、1PEX × 3/4F
11/4PEX × 11/4F
11/2PEX × 11/2F
2PEX × 2F

GJ–221

3/8PEX × 1/2M、1/2PEX × 1/2M
5/8PEX × 1/2M、5/8PEX × 3/4M
1/2PEX × 3/4M、3/4PEX × 1/2M
3/4PEX × 3/4M、3/4PEX × 1M
1PEX × 1M、1PEX × 3/4M
11/4PEX × 11/4M、11/4PEX × 1M
3/4PEX × 3/4Mx1/2F
1PEX × 1Mx3/4F、11/4PEX × 11/4M
11/2PEX × 11/2M、2PEX × 2M

GJ–222

3/8PEX × 1/2F、1/2PEX × 1/2F
3/4PEX × 1/2F、5/8PEX × 1/2F
5/8PEX × 3/4F、1/2PEX × 3/4F
3/4PEX × 3/4F、3/4PEX × 1F
1PEX × 1F、1PEX × 3/4F
11/4PEX × 11/4F、11/2PEX × 11/2F
2PEX × 2F

GJ–223

3/8 PEX、1/2 × 3/8 PEX
1/2 PEX、5/8 PEX
5/8x3/4 PEX、3/4 × 1/2 PEX
3/4 PEX、1 × 3/4 PEX
1 PEX、11/4x3/4PEX
11/4x1PEX、11/4PEX
11/2x3/4PEX、11/2x1PEX
11/2x11/4PEX、11/2PEX
2x1PEX、2x11/4PEX
2x11/2PEX、2PEX

GJ–224

3/8PEX × 1/2F
1/2PEX × 1/2F
3/4PEX × 1/2F
3/4PEX × 3/4F
1/2PEX × 3/8F

GJ–225

3/8 PEX、1/2x3/8 PEX
1/2 PEX、5/8 PEX
3/4x5/8 PEX、3/4 × 1/2 PEX
3/4 PEX、3/4 × 1 PEX
1 PEX、11/4 PEX
1 1/2PEX、2 PEX

GJ–226

3/8 PEX、1/2 PEX、3/4 PEX、1 PEX、11/4 PEX、11/2 PEX、2PEX
3/8x3/8x1/2 PEX、1/2x3/8x3/8 PEX、1/2x3/8x1/2 PEX、1/2x1/2x3/8 PEX
1/2x1/2x3/4 PEX、3/4x1/2x1/2 PEX、3/4x1/2x3/4 PEX、3/4x3/4x3/8 PEX
3/4x3/4x1/2 PEX、3/4x3/4x1 PEX、1x1/2x3/4 PEX
1x1/2x1 PEX、1x3/4x1/2 PEX、1x3/4x3/4 PEX、1x3/4x1 PEX
1x1x1/2 PEX、1x1x3/4 PEX、11/4x1x3/4 PEX、11/4x1x1 PEX
11/4x11/4x1/2 PEX、11/4x11/4x3/4 PEX、11/4x11/4x1 PEX、
11/2x3/4x3/4PEX、11/2x1x3/4PEX、11/2x1x1PEX、11/2x11/4x3/4PEX
11/2x11/4x1PEX、11/2x11/4x11/4PEX、11/2x11/2x1/2PEX
11/2x11/2x3/4PEX、11/2x11/2x1PEX、11/2x11/2x11/4PEX
2x11/2x3/4PEX、2x11/2x1PEX、2x11/2x11/4PEX
2x11/4x11/4PEX、2x11/2x11/2PEX、2x2x1/2PEX
2x2x3/4PEX、2x2x1PEX、2x2x11/4PEX、2x2x11/2PEX

PEX Insert Fittings-F1807 Standard

GJ–227

3/8、1/2、3/4
1、11/4、11/2
2

GJ–231

3/8PEXx3/8F
1/2PEXx1/2F
1/2PEXx7/8F
3/8PEXx1/2F
3/8PEXx7/8F
3/4PEXx3/4F

GJ–230

1/2PEXx1/2M
1/2PEXx3/4M
5/8PEXx3/4M
3/4PEXx3/4M

GJ–228

1PEXx3/4F
1PEXx1F

GJ–229

3/8PEXx3/8M
1/2PEXx3/8M
1/2PEXx1/2M
1/2PEXx3/4M
5/8PEXx3/4M
3/4PEXx3/4M
3/4PEXx1M

GJ–232

3/8、1/2
3/4、1

GJ–233

3/8、1/2
3/4、1

GJ–234

1/2x1/2
3/4x3/4
3/8x3/8

PEX Insert Fittings-F1807 Standard

GJ–236

1/2PEX x 1/2F
3/4PEX x 3/4F
3/4PEX x 1F
1PEX x 1F

GJ–237

3/8PEX x 3/8F
3/8PEX x 1/2F
1/2PEX x 1/2F
1/2PEX x 7/8F

GJ–238

3/8PEX x1/2F
1/2PEX x3/4F
1/2PEX x1/2F
3/4PEX x3/4F
3/4PEX x1/2F
1PEX x1F
5/8PEX x3/4F

GJ–235

1/2

GJ–239

1/2PEX x (12"–21")

GJ–240

1/2PEXx (12"–21")

PEX Cold Expansion Fittings - F1960 Standard

GJ–401

3/8、1/2、3/4
1、11/4、11/2
2

GJ–405

3/8PEX × 1/2M、1/2PEX × 1/2M
5/8PEX × 1/2M、5/8PEX × 3/4M
1/2PEX × 3/4M、3/4PEX × 1/2M
3/4PEX × 3/4M、3/4PEX × 1M
1PEX × 1M、1PEX × 3/4M
11/4PEX × 11/4M、11/4PEX × 1M
3/4PEX × 3/4Mx1/2F
1PEX × 1Mx3/4F、11/4PEX × 11/4M
11/2PEX × 11/2M、2PEX × 2M

GJ–406

3/8 PEX、1/2 PEX、3/4 PEX、1 PEX、11/4 PEX、11/2 PEX、2PEX
3/8x3/8x1/2 PEX、1/2x3/8x3/8 PEX、1/2x3/8x1/2 PEX、1/2x1/2x3/8 PEX
1/2x1/2x3/4 PEX、3/4x1/2x1/2 PEX、3/4x1/2x3/4 PEX、3/4x3/4x3/8 PEX
3/4x3/4x1/2 PEX、3/4x3/4x1 PEX、1x1/2x3/4 PEX
1x1/2x1 PEX、1x3/4x1/2 PEX、1x3/4x3/4 PEX、1x3/4x1 PEX
1x1x1/2 PEX、1x1x3/4 PEX、11/4x1x3/4 PEX、11/4x1x1 PEX
11/4x11/4x1/2 PEX、11/4x11/4x3/4 PEX、11/4x11/4x1 PEX、
11/2x3/4x3/4PEX、11/2x1x3/4PEX、11/2x1x1PEX、11/2x11/4x3/4PEX
11/2x11/4x1PEX、11/2x11/4x11/4PEX、11/2x11/2x1/2PEX
11/2x11/2x3/4PEX、11/2x11/2x1PEX、11/2x11/2x11/4PEX
2x11/2x3/4PEX、2x11/2x1PEX、2x11/2x11/4PEX
2x11/4x11/4PEX、2x11/2x11/2PEX、2x2x1/2PEX
2x2x3/4PEX、2x2x1PEX、2x2x11/4PEX、2x2x11/2PEX

GJ–407

3/8 PEX、1/2x3/8 PEX
1/2 PEX、5/8 PEX
3/4x5/8 PEX、3/4 × 1/2 PEX
3/4 PEX、3/4 × 1 PEX
1 PEX、11/4 PEX
1 1/2PEX、2 PEX

GJ–408

3/8PEX x1/2F
1/2PEX x3/4F
1/2PEX x1/2F
3/4PEX x3/4F
3/4PEX x1/2F
1PEX x1F
5/8PEX x3/4F

GJ–409

3/8PEXx3/8M、1/2PEXx3/8M
1/2PEXx1/2M、1/2PEXx3/4M
5/8PEXx3/4M、3/4PEXx3/4M
3/4PEXx1M

GJ–410

3/8PEXx3/8F、1/2PEXx1/2F
1/2PEXx7/8F、3/8PEXx1/2F
3/8PEXx7/8F、3/4PEXx3/4F

GJ–411

3/8PEX × 1/2F、1/2PEX × 1/2F
3/4PEX × 1/2F、3/4PEX × 3/4F
1/2PEX × 3/8F

GJ–412

3/8PEX × 1/2M、1/2PEX × 1/2M
1/2PEX × 3/4M、5/8PEX × 1/2M
5/8PEX × 3/4M、3/4PEX × 1/2M
3/4PEX × 3/4M、3/4PEX × 1M
1PEX × 3/4M、1PEX × 1M
1 1/4PEX × 1 1/4M、1 1/4PEX × 1M
1 1/2PEX × 1 1/2M、2PEX × 2M

GJ–413

1/2PEX x 1/2F、3/4PEX x 3/4F
3/4PEX x 1F、1PEX x 1F

Wandekai

Compression Fittings USA

GJ–61

1/8C、3/16C、1/4C、5/16C、3/8C、5/16C
1/2C、5/8C、3/4C、7/8C、1/4x1/8C
1/4x3/16C、1/4x3/8C、5/16x1/4C、3/8x1/2C
5/8x3/8C、5/8x1/2C

GJ–62

1/8Cx1/8F、3/16Cx1/8F、3/16Cx1/4F、1/4Cx1/8F
1/4Cx1/4F、1/4Cx3/8F、1/4Cx1/2F、5/16Cx1/8F
5/16Cx1/4F、5/16Cx3/8F、3/8Cx1/8F、3/8Cx1/4F
3/8Cx3/8F、3/8Cx1/2F、3/8Cx3/4F、1/2Cx1/4F
1/2Cx3/8F、1/2Cx1/2F、1/2Cx3/4F、5/8Cx3/8F
5/8Cx1/2F、5/8Cx3/4F、3/4Cx1/2F、3/4Cx3/4F
7/8Cx1/2F、7/8Cx3/4F

GJ–63

1/8Cx1/8M、3/16Cx1/8M、3/16Cx1/4M、1/4Cx1/8M
1/4Cx1/4M、1/4Cx3/8M、1/4Cx1/2M、5/16Cx1/8M
5/16Cx1/4M、5/16Cx3/8M、3/8Cx1/8M、3/8Cx1/4M
3/8Cx3/8M、3/8Cx1/2M、1/2Cx1/4M、1/2Cx3/8M
1/2Cx1/2M、1/2Cx3/4M、5/8Cx3/8M、5/8Cx1/2M
5/8Cx3/4M、3/4Cx1/2M、3/4Cx3/4M、7/8Cx3/4M

GJ–64

1/8Cx1/8M、3/16Cx1/8M、3/16Cx1/4M、1/4Cx1/8M
1/4Cx1/4M、1/4Cx3/8M、1/4Cx1/2M、5/16Cx1/8M
5/16Cx1/4M、5/16Cx3/8M、5/16Cx1/2M、3/8Cx1/8M
3/8Cx1/4M、3/8Cx3/8M、3/8Cx1/2M、3/8Cx3/4M
7/16Cx1/4M、7/16Cx3/8M、1/2Cx1/4M、1/2Cx3/8M
1/2Cx1/2M、1/2Cx3/4M、5/8Cx3/8M、5/8Cx1/2M
5/8Cx3/4M、3/4Cx1/2M、3/4Cx3/4M、3/4Cx1M
7/8Cx1/2M、7/8Cx3/4M、7/8Cx1M

Compression Fittings USA

GJ–67

1/8C、3/16C、1/4C、5/16C
3/8C、7/16C、1/2C、5/8C
3/4C、7/8C

GJ–68

1/8C、3/16C、1/4C、5/16C
3/8C、7/16C、1/2C、5/8C

GJ–165

1/4Cx1/8Mx1/4C
3/8Cx1/4Mx3/8C

GJ–166

1/4CX1/4Cx1/4M、3/8Cx3/8Cx1/4M
1/2Cx1/2Cx1/2M、5/8Cx5/8Cx1/2M

GJ–161

1/4C、3/8C
1/2C

GJ–162

1/4Cx1/8M、1/4Cx1/4M
3/8Cx1/4M、1/2Cx3/8M

GJ–163

1/4Cx1/8F、1/4Cx1/4F
3/8Cx1/4F、3/8Cx3/8F
1/2Cx3/8F、1/2Cx1/2F

GJ–164

1/4Cx1/8M、3/8Cx1/4M

GJ-167

1/4Cx1/8M、3/8Cx1/4M

GJ-168

1/8Cx1/8F、3/16Cx1/8F、1/4Cx1/8F
1/4Cx1/4F、1/4Cx1/2F、5/16Cx1/8F
5/16Cx1/4F、3/8Cx1/8F、3/8Cx1/2F
3/8Cx3/4F、1/2Cx3/8F、1/2Cx1/2F
5/8Cx1/2F、5/8Cx3/4F

Wandekai

Hose Barb Fittings

Hose Barb Fittings

GJ-75

1/8"、3/16"、1/4"、5/16"
3/8"、1/2"、3/4"、5/8"

GJ-76

1/8x1/8M、1/8x1/4M、3/16x1/8M、3/16x1/4M、1/4x1/8M
1/4x1/4M、1/4x3/8M、1/4x1/2M、5/16x1/8M、5/16x1/4M
5/16x3/8M、3/8x1/8M、3/8x1/4M、3/8x3/8M、3/8x1/2M
3/8x3/4M、1/2x1/4M、1/2x3/8M、1/2x1/2M、1/2x3/4M
5/8x3/8M、5/8x1/2M、5/8x3/4M、3/4x1/2M、3/4x3/4M
1x3/4M、1x1M

GJ-77

1/8x1/8F、1/8x1/4F、3/16x1/8F、3/16x1/8F
1/4x1/8F、1/4x1/4F、1/4x3/8F、1/4x1/2F
5/16x1/8F、5/16x1/4F、5/16x3/8F、3/8x1/4F
3/8x3/8F、3/8x1/2F、1/2x1/4F、1/2x3/8F、1/2x1/2F

GJ-116

1/4"x1/8M、1/4"x1/4M、3/8"x1/4M
3/8"x3/8M、1/2"x3/8M、5/8"x1/2M

GJ-109

1/4"x1/8M

GJ-117

1/4"x1/4F、3/8"x1/2F、3/8"x3/8F
1/2"x1/2F、3/4"x3/4F

GJ-118

1/4"x1/8M、1/4"x1/4M、3/8"x1/4M
3/8"x3/8M、3/8"x1/8M、5/16"x1/8M
5/16"x1/4M、1/2"x3/8M、1/2"x1/2M
5/8"x1/2M、3/4"x3/4M

GJ-135

1/4"x1/4F
5/16"x3/8F
1/2"x1/2F

Hose Barb Fittings

GJ-83

3/8"x3/4NH、1/2"x3/4NH
5/8"x3/4NH、3/4"x3/4NH

GJ-56

3/8"x3/4NH、1/2"x3/4NH
5/8"x3/4NH、3/4"x3/4NH

GJ-57

1/4Cx3/4NH、3/8Cx3/4NH

GJ-58

3/8"x3/4NH、1/2"x3/4NH
5/8"x3/4NH、3/4"x3/4NH

GJ-51

3/4"MNHx3/4"FNH

GJ-52

3/4"MNHx3/4"FNH

GJ-53

3/8"Cx3/4"FNH

GJ-60

3/4NH

Hose Barb Fittings

GJ-84

3/4NH

GJ-44

1/2Fx3/4NH
3/4Fx3/4NH

GJ-45

1/2FX1/2"、1/2FX3/4"
3/4FX3/4"

GJ-46

3/4MX1/2"
3/4MX3/4"

GJ-74

1/4"x3/8F、5/16"x3/8F
3/8"x3/8F

GJ-78

3/8"x3/4F
1/2"x3/4F

GJ-81

1/2Mx3/4NH
3/4Mx3/4NH

Wandekai

Pipe Fittings USA

GJ–87

1/8F、1/4F、3/8F
1/2F、3/4F

GJ–88

1/8Fx1/8M、1/4Fx1/4M、3/8Fx3/8M
1/2Fx1/2M、3/4Fx3/4M

GJ–93

1/8F、1/4F、3/8F
1/2F、3/4F

GJ–89

1/8F、1/4F、3/8F
1/2F、3/4F

GJ-95

1/8FM、1/4FM、3/8FM
1/2FM、3/4FM

GJ-94

1/8FM、1/4FM、3/8FM
1/2FM、3/4FM

GJ-99

1/8FM、1/4FM

GJ-91

1/8F、1/4F、3/8F
1/2F

GJ-96

1/8F、1/4F、3/8F
1/2F、3/4F

GJ-97

1/8FM、1/4FM、3/8FM
1/2FM、3/4FM

GJ-98

1/8M、1/4M、3/8M
1/2M

GJ-59

3/8FM、1/2FM
3/4FM

Pipe Fittings USA

GJ-65

1/8F、1/4F、3/8F
1/2F、3/4F、1F

GJ-69

1/8M、1/4M、3/8M
1/2M、3/4M、1M

GJ-71

1/8Fx1/4M、1/8Fx3/8M、1/8Fx1/2M
1/8Fx3/4M、1/4Fx3/8M、1/4Fx1/2M
1/4Fx3/4M、1/4Fx1M、3/8Fx1/2M
3/8Fx3/4M、3/8Fx1M、1/2Fx3/4M
1/2Fx1M、3/4Fx1M

GJ-73

1/8"、1/4"、3/8"
1/2"、3/4"

GJ-79

1/8F、1/4F、3/8F
1/2F、3/4F

GJ-85

1/8M、1/4M、3/8M、1/2M
3/4M、1M、1-1/4M、1-1/2M、2M

GJ-101

1/8M、1/4M
3/8M、1/2M、3/4M

GJ-102

1/8M、1/4M
3/8M、1/2M、3/4M

Pipe Fittings USA

GJ-103

1/8M、1/4M
3/8M、1/2M、3/4M

GJ-104

1/8M、1/4M
3/8M、1/2M、3/4M

GJ-105

1/8、1/4
3/8、1/2

GJ-106

1/8M、1/4M
3/8M、1/2M、3/4M

GJ-111

1/4Fx1/8F、3/8Fx1/8F、3/8Fx1/4F
1/2Fx1/8F、1/2Fx1/4F、1/2Fx3/8F
3/4Fx1/2F

GJ-112

1/8Fx1/8M、1/4Fx1/4M、1/4Fx1/8M
3/8Fx1/8M、3/8Fx1/4M、3/8Fx3/8M
1/2Fx1/4M、1/2Fx3/8M、1/2Fx1/2M
3/4Fx1/2M、3/4Fx3/4M

GJ-113

1/4Mx1/8M、3/8Mx1/8M、3/8Mx1/4M
1/2Mx1/4M、1/2Mx3/8M、3/4Fx1/2M

GJ-114

1/4F、3/8F、1/2F
3/4F、1/2Fx3/8F

GJ-115

1/4M、3/8M、1/2M

GJ-107

3/8Mx1/4F、1/2Mx3/8F
3/4Mx1/2F

GJ-108

1/8M、1/4M、3/8M

GJ-110

1/8F、1/4F、3/8F、1/2F、3/4F

GJ-119

1/4F、3/8F、1/2F、3/4F

GJ-85A

1/8M-1-1/2"L、1/8M-2"L、1/8M-2-1/2"L、1/8M-3"L、1/8M-3-1/2"L
1/8M-4"L、1/8M-4-1/2"L、1/8M-5"L、1/8M-5-1/2"L、1/8M-6"L
1/4M-1-1/2"L、1/4M-2"L、1/4M-2-1/2"L、1/4M-3"L、1/4M-3-1/2"L
1/4M-4"L、1/4M-4-1/2"L、1/4M-5"L、1/4M-5-1/2"L、1/4M-6"L
3/8M-1-1/2"L、3/8M-2"L、3/8M-2-1/2"L、3/8M-3"L、3/8M-3-1/2"L
3/8M-4"L、3/8M-4-1/2"L、3/8M-5"L、3/8M-5-1/2"L、3/8M-6"L
1/2M-1-1/2"L、1/2M-2"L、1/2M-2-1/2"L、1/2M-3"L、1/2M-3-1/2"L
1/2M-4"L、1/2M-4-1/2"L、1/2M-5"L、1/2M-5-1/2"L、1/2M-6"L
3/4M-1-1/2"L、3/4M-2"L、3/4M-2-1/2"L、3/4M-3"L、3/4M-3-1/2"L
3/4M-4"L、3/4M-4-1/2"L、3/4M-5"L、3/4M-5-1/2"L、3/4M-6"L

GJ-85B

1/8M-1-1/2"L、1/8M-2"L、1/8M-2-1/2"L、1/8M-3"L、1/8M-3-1/2"L
1/8M-4"L、1/8M-4-1/2"L、1/8M-5"L、1/8M-5-1/2"L、1/8M-6"L
1/4M-1-1/2"L、1/4M-2"L、1/4M-2-1/2"L、1/4M-3"L、1/4M-3-1/2"L
1/4M-4"L、1/4M-4-1/2"L、1/4M-5"L、1/4M-5-1/2"L、1/4M-6"L
3/8M-1-1/2"L、3/8M-2"L、3/8M-2-1/2"L、3/8M-3"L、3/8M-3-1/2"L
3/8M-4"L、3/8M-4-1/2"L、3/8M-5"L、3/8M-5-1/2"L、3/8M-6"L
1/2M-1-1/2"L、1/2M-2"L、1/2M-2-1/2"L、1/2M-3"L、1/2M-3-1/2"L
1/2M-4"L、1/2M-4-1/2"L、1/2M-5"L、1/2M-5-1/2"L、1/2M-6"L
3/4M-1-1/2"L、3/4M-2"L、3/4M-2-1/2"L、3/4M-3"L、3/4M-3-1/2"L
3/4M-4"L、3/4M-4-1/2"L、3/4M-5"L、3/4M-5-1/2"L、3/4M-6"L

Wandekai

Flare Fittings

GJ–120

1/4"、3/8"、1/2"、5/8"

GJ–121

1/4"x1/8M、1/4"x1/4M、1/4"x3/8M
1/4"x1/2M、3/8"x1/8M、3/8"x1/4M
3/8"x3/8M、3/8"x1/2M、3/8"x3/4M
1/2"x1/8M、1/2"x1/4M、1/2"x3/8M
1/2"x1/2M、1/2"x3/4M、5/8"x1/4M
5/8"x3/8M、5/8"x1/2M、5/8"x3/4M

GJ–122

3/8"x1/4"、1/2"x1/4"、1/2"x3/8"
5/8"x3/8"、5/8"x1/2"

GJ–123

1/4"x1/8F、1/4"x1/4F、1/4"x3/8F
1/4"x1/2F、3/8"x1/8F、3/8"x1/4F
3/8"x3/8F、3/8"x1/2F、3/8"x3/4F
1/2"x1/4F、1/2"x3/8F、1/2"x1/2F
1/2"x3/4F、5/8"x3/8F、5/8"x1/2F
5/8"x3/4F

Flare Fittings

GJ-124
1/4"、3/8"、1/2"、5/8"

GJ-86
1/4"、3/8"、1/2"、5/8"

GJ-125
1/4"、3/8"、1/2"、5/8"

GJ-126
1/4"、3/8"、1/2"、5/8"

GJ-127
1/8Mx1/4"、1/4Mx1/4"、1/4Mx3/8"
3/8Mx3/8" 、1/2Mx3/8" 、1/2Mx1/2"

GJ-128
1/8Mx1/4"、1/4Mx1/4" 、1/4Mx3/8"
3/8Mx1/2"

GJ-129
1/4"、3/8"、1/2"、5/8"

GJ-130
1/4"、3/8"、1/2"、5/8"

GJ-134

1/4"x1/8F、1/4"x1/4F、1/4"x3/8F
3/8"x3/8F、3/8"x1/2F、3/8"x3/4F
1/2"x3/8F、1/2"x1/2F、1/2"x3/4F

GJ-133

1/4"、3/8"、1/2"、5/8"

GJ-131

1/4"、5/16"、3/8"、1/2"、5/8"

GJ-132

1/4"x1/4"x1/8M、1/4"x1/4"x1/4M、1/4"x1/4"x3/8M
3/8"x3/8"x1/4M、3/8"x3/8"x3/8M、3/8"x3/8"x1/2M
1/2"x1/2"x3/8M、1/2"x1/2"x1/2M、5/8"x5/8"x1/2M